



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/615,430	07/13/2000	Luc Wuidart	S1022/8393	3359

7590 11/18/2003

James H Morris  
Wolf Greenfield & Sacks PC  
Federal Reserve Plaza  
600 Atlantic Avenue  
Boston, MA 02210-2211

EXAMINER
----------

LY, NGHI H

ART UNIT	PAPER NUMBER
----------	--------------

2686

10

DATE MAILED: 11/18/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

# Office Action Summary

Application No.

09/615,430

Applicant(s)

WUIDART ET AL.

Examiner

Nghi H. Ly

Art Unit

2686

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

## Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☒ Responsive to communication(s) filed on 10 February 2003.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 1-4 and 7-20 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-4 and 7-20 is/are rejected.
- 7) ☒ Claim(s) 5 and 6 is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on \_\_\_\_\_ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

## Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

## Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) 8.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). \_\_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_.

**DETAILED ACTION**

***Claim Rejections - 35 USC § 103***

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

3. Claims 1, 2, 4, 7-13, 17, 19 and 20 are rejected under 35 U.S.C. 103(a) as being obvious over the Applicant's admitted prior art in view of Burdick et al (US 6,424,820).

Regarding claims 1, 9, 10, 12 and 13, the admitted prior art teaches an electromagnetic transponder including a parallel oscillating circuit (see Applicant's admitted prior art fig.1) adapted to being excited by a series oscillating circuit of a

read/write terminal when the electromagnetic transponder enters the field of the read/write terminal (see Applicant's Background Of The Invention page 1 lines 18-21).

The Applicant's admitted prior art does not specifically disclose the components of the parallel oscillating circuit of the transponder are sized so that a coupling coefficient between respective oscillating circuits of the electromagnetic terminal and of the read/write transponder rapidly decreases when a distance separating the electromagnetic transponder from the read/write terminal becomes greater than a predetermined value.

Burdick teaches the coupling coefficient between respective oscillating circuits of the electromagnetic terminal and of the read/write transponder rapidly decreases when a distance separating the electromagnetic transponder from the read/write terminal becomes greater than a predetermined value (see Burdick, column 6 lines 12-21, in Burdick, "1-3 meters" reads on Applicant's predetermined value).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the teaching of Burdick into the system of the Applicant's admitted prior art so that user can be accommodated in a small physical area without interference (see Burdick, column 6 lines 14-15).

Regarding claim 2, the combination of Burdick and the Applicant's admitted prior art teaches predetermined value corresponds to 1-3 meters (see Burdick, column 6 lines 15-21). The combination of Burdick and the Applicant's admitted prior art does not specifically disclose the predetermined value corresponds to 1 centimeter. However, such distance range would have been obvious since the particular distance range could

have been determined by the inventors' needs e.g., use a distance range which can minimize the interference with other users.

Regarding claim 4, the combination of Burdick and the Applicant's admitted prior art teaches the electromagnetic transponder includes an inductance and a capacitance of the parallel oscillating circuit. The combination of Burdick and the Applicant's admitted prior art does not specifically disclose the inductance of the parallel oscillating circuit is maximized, a capacitance of this oscillating circuit being minimized. However, such the inductance is maximized or the capacitance is minimized would have been obvious since the inductance is maximized or the capacitance is minimized could have been determined by the inventors' needs e.g., use an inductance or capacitance which can minimize the interference with other users.

Regarding claims 7 and 11, the combination of the Applicant's admitted prior art and Burdick teaches the number of turns of an inductance of the parallel oscillating circuit of the transponder is 25 (see Burdick column 40 line 52). The Applicant's admitted prior art and Burdick does not specifically disclose a number of turns of an inductance of the parallel oscillating circuit of the transponder is in a range of between 5-15. However, such number of turns would have been obvious since the particular number of turns could have been determined by the inventors' needs e.g., use a number of turns which can optimize the transmission coverage area that also minimizes interference.

Regarding claim 8, the combination of the Applicant's admitted prior art and Burdick teaches the respective value of a capacitance and of an inductance of the

Art Unit: 2686

parallel oscillating circuit are 39 pF and 6.48 microHenries (see Burdick column 40 lines 58-61). The Applicant's admitted prior art and Burdick does not specifically disclose the values of a capacitance and of an inductance range between 5 and 100 pf and between 2 and 25 microHenries. However, such particular value of capacitance and inductance would have been obvious since the particular value of capacitance and inductance could have been determined by the inventors' needs e.g., use particular value of capacitance and inductance which can optimize the transmission coverage area that also minimizes interference.

Regarding claim 17, the Applicant's admitted prior art teaches a system for data transfer comprising: a terminal including a series oscillating circuit having a first inductive element (see fig.1 L1) and a first capacitive element (see fig.1 C1), and a transponder including a parallel oscillating circuit having a second inductive element (see fig.1 L2) and a second capacitive element (see fig.1 C2 and see Applicant's Background of The Invention page2 lines 4-11). The Applicant's admitted prior does not specifically disclose the first and second inductive elements and first and second capacitive elements are sized such that a coupling coefficient between the series oscillating circuit and the parallel oscillating circuit decreases rapidly when a distance between the terminal and the transponder is less than a predetermined value. Burdick teaches inductive elements and capacitive elements are sized such that a coupling coefficient between oscillating circuit decreases rapidly when a distance between the terminal and the transponder is less than a predetermined value (see Burdick, column 6

lines 12-21, in Burdick, "1-3 meters" reads on Applicant's predetermined value and the signal strength will fall off in any distance less than 1 meter or greater than 3 meter).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the teaching of Burdick into the system of the Applicant's admitted prior art so that user can be accommodated in a small physical area without interference (see Burdick, column 6 lines 14-15).

Regarding claim 19, the combination of Burdick and the Applicant's admitted prior art teaches predetermined value corresponds to 1-3 meters (see Burdick, column 6 lines 15-21). The combination of Okada, Burdick and the Applicant's admitted prior art does not specifically disclose the predetermined value corresponds to approximately 1 centimeter. However, such distance range would have been obvious since the particular distance range could have been determined by the inventors' needs e.g., use a distance range which can minimize the interference with other users.

Regarding claim 20, the combination of the Applicant's admitted prior art and Burdick teaches the number of turns of an inductance of the parallel oscillating circuit of the transponder is 25 (see Burdick column 40 line 52). The Applicant's admitted prior art and Burdick does not specifically disclose the first inductive element comprises a single turn. However, such single turn would have been obvious since the particular number of turns could have been determined by the inventors' needs e.g., use a number of turns which can optimize the transmission coverage area that also minimizes interference.

Art Unit: 2686

4. Claim 3 is rejected under 35 U.S.C. 103(a) as being obvious over the Applicant's admitted prior art in view of Burdick et al (US 6,424,820) and further in view of Duan et al (US 6,281,794).

Regarding claim 3, the combination of the Applicant's admitted prior art and Burdick teaches the electromagnetic transponder of claim 1. The combination of the Applicant's admitted prior art and Burdick does not specifically disclose the electromagnetic transponder, wherein a capacitive element of the parallel oscillating circuit is provided by a tray capacitance of an inductance of the parallel oscillating circuit. Duan teaches the electromagnetic transponder, wherein a capacitive element of the parallel oscillating circuit is provided by a tray capacitance of an inductance of the parallel oscillating circuit (see column 2 lines 55-62). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the teaching of Duan into the system of the Applicant's admitted prior art and Burdick in order to reduce the net reactance of the antenna circuitry combination (see column 2 lines 59-61).

5. Claim 14 is rejected under 35 U.S.C. 103(a) as being obvious over the Applicant's admitted prior art in view of Okada (JP 407245946A).

Regarding claim 14, the admitted prior art teaches a transponder comprising: an oscillating circuit adapted to be excited by an external electromagnetic field when the transponder enters the electromagnetic field (see Applicant's Background of The Invention pages 1-4), the oscillating circuit including an inductance (see Applicant's



Art Unit: 2686

Background of The Invention page2 lines 4-11). The admitted prior art does not specifically disclose a stray capacitance of the inductance acts as a capacitive element for the oscillating circuit. Okada teaches a stray capacitance of the inductance acts as a capacitive element for the oscillating circuit (see Constitution lines 4-8). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the teaching of Okada into the system of the Applicant's admitted prior art in order to control the state of the standby of an output from a switching power supply efficiently by simple constitution (see Okada, Purpose).

6. Claims 15 and 16 are rejected under 35 U.S.C. 103(a) as being obvious over the Applicant's admitted prior art in view of Okada (JP 407245946A) and further in view of Burdick et al (US 6,424,820).

Regarding claim 15, the combination of the Applicant's admitted prior art and Okada teaches the transponder of claim 14. The combination of the Applicant's admitted prior art and Okada does not specifically disclose the components of the oscillating circuit are sized such that a coupling coefficient between the transponder and a read/write terminal that generates the electromagnetic field decreases rapidly decreases when a distance separating the transponder from the read/write terminal becomes greater than a predetermined value. Burdick teaches the components of the oscillating circuit are sized such that a coupling coefficient between the transponder and a read/write terminal that generates the electromagnetic field decreases rapidly decreases when a distance separating the transponder from the read/write terminal

Art Unit: 2686

becomes greater than a predetermined value (see Burdick, column 6 lines 12-21, in Burdick, "1-3 meters" reads on Applicant's predetermined value).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the teaching of Burdick into the system of the Applicant's admitted prior art so that user can be accommodated in a small physical area without interference (see Burdick, column 6 lines 14-15).

Regarding claim 16, the combination of Okada, Burdick and the Applicant's admitted prior art teaches predetermined value corresponds to 1-3 meters (see Burdick, column 6 lines 15-21). The combination of Okada, Burdick and the Applicant's admitted prior art does not specifically disclose the predetermined value corresponds to approximately 1 centimeter. However, such distance range would have been obvious since the particular distance range could have been determined by the inventors' needs e.g., use a distance range which can minimize the interference with other users.

7. Claims 18 are rejected under 35 U.S.C. 103(a) as being obvious over the Applicant's admitted prior art in view of Burdick et al (US 6,424,820) and further in view of Okada (JP 407245946A).

Regarding claim 18, the combination of the Applicant's admitted prior art and Burdick teaches claim 17. The combination of the Applicant's admitted prior art and Burdick does not specifically disclose the second capacitive element is provided by a stray capacitance of the second inductive element. Okada teaches the second capacitive element is provided by a stray capacitance of the second inductive element

Art Unit: 2686

(see Constitution lines 4-8). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the teaching of Okada into the system of the Burdick and Applicant's admitted prior art in order to control the state of the standby of an output from a switching power supply efficiently by simple constitution (see Okada, Purpose).

### ***Allowable Subject Matter***

8. Claims 5 and 6 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Regarding claim 5 and 6, the combination of Burdick and the Applicant's admitted prior art teaches claim 1. The combination of Burdick and the Applicant's admitted prior art fails to teach the claimed limitations of claims 5 and 6.

### ***Response to Arguments***

9. Applicant's arguments filed 02/10/2003 have been fully considered but they are not persuasive.

On page 7 of Applicant's remarks, Applicant argues that there is no motivation provided in the art of record for one of ordinary skill in the art to combine Burdick and AAPA.

In response to applicant's argument that there is no suggestion to combine the references, the examiner recognizes that obviousness can only be established by

Art Unit: 2686

combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988) and *In re Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992). In this case, the motivation to do so found in the references themselves so that user can be accommodated in a small physical area without interference (see Burdick, column 6 lines 14-15).

On page 8 of Applicant's remarks, Applicant argues that "the motivation set forth in the Office Action for combining Burdick with AAPA, namely so that users can be accommodated within a small physical area, is invalid. The art of record provides no motivation for combining Burdick with AAPA, and the suggested combination is therefore improper."

The Examiner, however, disagrees. The motivation to combine Burdick with AAPA so that the system can be operated without interference. Not "accommodated in a small physical area" as alleged by the Applicant.

On page 8 of Applicant's remarks, Applicant further argues that "Burdick does not disclose or suggest that this rapid decrease occurs only when the distance separating the electromagnetic transponder from the read/write terminal becomes greater than a predetermined value."

The Examiner, however, disagrees. The combination of the Applicant's admitted prior art and Burdick indeed teaches this claimed limitation (see Burdick column 6 lines 13-15 which clearly states "signal strength falls off rapidly with distance" and the

Art Unit: 2686

distance "1-3 meters" in column 6 lines 15-20 reads on Applicant's predetermined value).

### ***Conclusion***

#### ***Continued Examination Under 37 CFR 1.114***

10. All claims are drawn to the same invention claimed in the application prior to the entry of the submission under 37 CFR 1.114 and could have been finally rejected on the grounds and art of record in the next Office action if they had been entered in the application prior to entry under 37 CFR 1.114. Accordingly, **THIS ACTION IS MADE FINAL** even though it is a first action after the filing of a request for continued examination and the submission under 37 CFR 1.114. See MPEP § 706.07(b). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Art Unit: 2686

11. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nghi H. Ly whose telephone number is (703) 605-5164. The examiner can normally be reached on 8:30 am-5:30 pm Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Marsha Banks-Harold can be reached on (703) 305-4379. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 305-3900.

Nghi H. Ly

*NHL*  
11/09/03

*Marsha D Banks-Harold*  
MARSHA D. BANKS-HAROLD  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2600